

SHORT COMMUNICATION

V.G. Bezborodov¹⁾, S.A. Shabalin²⁾ and E.S. Koshkin³⁾. **DISTRIBUTION OF *ANTHRACOPHORA RUSTICOLA* BURMEISTER, 1842 (COLEOPTERA: SCARABAEIDAE, CETONIINAE) IN RUSSIA.** – Far Eastern Entomologist. 2008 N 180: 11-12.

В.Г. Безбородов¹⁾, С.А. Шабалин²⁾, Е.С. Кошкин³⁾. **Распространение *Anthracophora rusticola* Burmeister, 1842 (Coleoptera: Scarabaeidae, Cetoniinae) в России** // Дальневосточный энтомолог. 2008. N 180. С. 11-12.

Until now *Anthracophora rusticola* was known in Russia from Primorskii krai only [1-3]. In collections of the Zoological Institute RAS (St.-Petersburg) and Far-Eastern State Agriculture University (Blagoveschensk) we found nine specimens of this species from the south part of Khabarovskii krai. During long time this species was listed from East Asia as *Poecilophilides rusticola*, but now *Poecilophilides* Kraatz, 1898 is considered as a synonym of *Anthracophora* Burmeister, 1842 [5]. Herein *A. rusticola* firstly recorded from Khabarovskii krai.

Anthracophora rusticola (Burmeister, 1842)

Poecilophilides rusticola: Medvedev, 1964: 312; Kalinina, 1989: 432; Kalinina & Shabalin, 2004: 95; Hua, 2002: 181; Kurosawa, 1999: 414.

Anthracophora rusticola: Smetana, 2006: 300; Smetana & Smith, 2006: 50.

MATERIAL. RUSSIA: Khabarovskii krai: Khabarovsk, 28.VII 2005, 1 specimen (Popov); vicinity of Khabarovsk, Berezovka River, 1.VI 1926, 1 specimen (Kardakov); Bikin, 12-15.VII 1983, 4 specimens (Bezborodov); Bikinskii district, Zven'evaya station, 18.V 1958, 1 specimen (Kabakov); Bikinskii district, Birscoe, 15.VI 1958, 1 specimen (Kabakov); Bikinskii district, 2 km S Lesopil'noe, 3.VIII 2007, 1 specimen (Koshkin); Primorskii krai: Pozharskoye, 30.V, 22.VI, 14.VIII 2003, 8 specimens (Shabalin); Iman [now Dalnerechensk], island Shingar on Ussuri River, 2-3.V 1911, 4 specimens, 15-28.IV 1911, 11 specimens, 2.VIII 1911, 2 specimens (collector unknown); Arsen'ev, 30.V 2003, 1 specimen (Prozenko); Anuchinskiy district, Kornilovka, 21.VII 1962, 1 specimen (Mokrenok); Anuchinskiy district, Chernyshevka 20.VI



Fig. 1. Distribution of *Anthracophora rusticola* in Russia: ▲ – studied material; ● – published data.

1978, 1 specimen (Bakurov); Kirovka, 30.V 1957, 2 specimens (collector unknown); Mikhailovskiy district, 14.VI 1936, 1 specimen (collector unknown); Suputinskiy [now Ussuriyskii] Reserve, 19.V 1948, 1 specimen (collector unknown); Ussuriyskii Reserve, Fudzan River, 1 specimen; Pavlovka River, Duki station, 04.VIII 1957, 1 specimen (Kurentsov); Barabash-Levada, 29.VI 1980, 1 specimen (Moroz); Kedrovaya Pad Reserve, 19.VI 1952, 1 specimen (collector unknown); Kedrovaya Pad Reserve, 28.V 1958, 1 specimen (Onisimova). JAPAN: Nirasaki Yamanashi, 01.IX 1990, 2 specimens (Wada).

DISTRIBUTION. RUSSIA: Primorskii krai, south part of Khabarovskii krai (Fig. 1); CHINA: Heilongjiang, Jilin, Liaoning, Beijing, Inner Mongolia, Shanxi, Shandong, Henan, Shaanxi, Gansu, Hubei, Anhui, Jiangsu, Jiangxi, Fujian, Taiwan, Hunan, Guangxi, Yunnan [6]; KOREA: from north to south [4]; JAPAN: Honshu, Shikoku, Kyushu [7].

1. Medvedev, S.I. 1964. [Fauna USSR. Vol. 10. Pt. 5. Scarab beetles subfamily Cetoniinae, Valginae.]. Moscow-Leningrad, Nauka. 376 p. (In Russian).
2. Kalinina, O.I. 1989. [Subfamily Cetoniinae]. – In: Krivolutskaya, G.O., Egorov, A.B., Lafer, G.Sh. & Azarova, N.A. (eds.). [Key to the insects of Soviet Far East. Vol. III. Coleoptera, Pt. 1]. Leningrad, Nauka: 431-434. (In Russian).
3. Kalinina, O.I. & Shabalin, S.A. 2004. On the distribution and biology of Cetoniinae (Coleoptera, Scarabaeidae) in Primorye Region. – In: A.I. Kurentsov's Annual Memorial Meetings 15: 94-97. (In Russian).
4. Smetana, A. 2006. Subfamily Cetoniinae. – In: Lobl, I. & Smetana, A. (eds.) Catalogue of Palaearctic Coleoptera. Vol. 3. Stenstrup, Apollo Books: 238-299.
5. Smetana, A. & Smith, A.B.T. 2006. Type species designations and other nomenclatural notes on Palaearctic Melolonthinae and Cetoniinae (Coleoptera: Scaraboidea: Scarabaeidae). – Zootaxa, 1220: 47-53.
6. Hua, Li-zhong. 2002. List of Chinese Insects. Vol. 2. Guangzhou, Zhongshan University Press. 612 p.
7. Kurosawa, Y. 1999. Cetoniinae. – In: Ueno, S., Kurosawa, Y. & Masataka, S. (eds.) The Coleoptera of Japan in Color. Vol. 2. Osaka, Tsurumi-ku: 404-419.

Author's addresses:

- 1) Amur branch of Botanical Garden-Institute,
FEB RAS, Blagoveschensk, Relochny str.
18, 675000, Russia
- 2) Institute of Biology and Soil Science, FEB
RAS, Vladivostok, 690022, Russia
- 3) Institute of Water and Ecological Problems,
FEB RAS, Kim-Yu-Chen street 65,
Khabarovsk, 680000, Russia

© **Far Eastern entomologist (Far East. entomol.)** Journal published since October 1994.

Editor-in-Chief: S.Yu. Storozhenko

Editorial Board: A.S. Lelej, V.S. Sidorenko, N.V. Kurzenko

Address: Institute of Biology and Soil Science, Far East Branch of Russian Academy of Sciences, 690022, Vladivostok-22, Russia.

E-mail: entomol@ibss.dvo.ru

FAX: (4232) 310 193